

**2000 CHEVROLET VENTURE – 1UM16**  
**Extended Wheel Base ~ Dual Sliding Doors**  
**MIDDLE EAST**

| <b>OPT<br/>CODE</b> | <b>STANDARD EQUIPMENT</b>                                                                                                                                                             |   |
|---------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---|
|                     | Acoustics: Base Package                                                                                                                                                               | S |
|                     | Anchors: Cargo                                                                                                                                                                        | S |
|                     | Armrests: Second Row and Third Row Dual Covered                                                                                                                                       | S |
|                     | Ashtrays: First Row with Cigarette Lighter and Second Row                                                                                                                             | S |
|                     | Assist Grip: B Pillar Mounted                                                                                                                                                         | S |
|                     | Battery: Run Down Protection                                                                                                                                                          | S |
|                     | Brake/Transmission Interlock System                                                                                                                                                   | S |
|                     | Body Panels: Steel and Aluminum Hood                                                                                                                                                  | S |
|                     | Carpet: Full Floor                                                                                                                                                                    | S |
|                     | Carrier, Spare Tire: Located Under Vehicle at Rear                                                                                                                                    | S |
|                     | Console: Roof, Interior Base (Short)                                                                                                                                                  | S |
|                     | Cupholders: One/Seat Position (1st, 2nd and 3rd Rows)                                                                                                                                 | S |
|                     | Defogger: Rear Window                                                                                                                                                                 | S |
|                     | Door: Fuel Filler, Finger Pull with Gas Cap Holder                                                                                                                                    | S |
|                     | Exhaust: Stainless Steel with Aluminized Tailpipe, Rear Exit                                                                                                                          | S |
|                     | Fascias: Front and Rear, Body Color                                                                                                                                                   | S |
|                     | Filter: Pollen                                                                                                                                                                        | S |
|                     | Flash-to-Pass                                                                                                                                                                         | S |
|                     | Fuel Tank: 25 Gallon                                                                                                                                                                  | S |
|                     | Glass: Front Door Manual                                                                                                                                                              | S |
|                     | Glass: Rear Quarter Glass, Manual Swing Out                                                                                                                                           | S |
|                     | Glass: Second Row, Fixed.                                                                                                                                                             | S |
|                     | Glass: Light Tinted                                                                                                                                                                   | S |
|                     | Handles: Door and Liftgate Squeeze Release, Black                                                                                                                                     | S |
|                     | Headliner: Covered Fiberglass, Light Gray                                                                                                                                             | S |
|                     | Headrests: Integral/Adjustable, All Seating Positions                                                                                                                                 | S |
|                     | Horns: Dual Note                                                                                                                                                                      | S |
|                     | Key: Single                                                                                                                                                                           | S |
|                     | Lamps: Integrated Side Marker/Turn Signal                                                                                                                                             | S |
|                     | Limp Home Feature: Coolant Loss                                                                                                                                                       | S |
|                     | Liftgate: Rear, One Piece                                                                                                                                                             | S |
|                     | Lighting: Base Interior Package with Theater Dimming, Small Front Overhead Console (2 Lamps), Dome Lights at Roof Center Line with Override Switch (2 Lamps), Engine Compartment Lamp | S |
|                     | Lights: Daytime Running with Auto Lamps-On                                                                                                                                            | S |
|                     | Locks: Power Door                                                                                                                                                                     | S |
|                     | Map Pockets: Driver/Passenger Doors and Seatbacks, Front                                                                                                                              | S |
|                     | Mirror: Inside Rear View, Day/Night                                                                                                                                                   | S |
|                     | Moldings: Body Side, Black                                                                                                                                                            | S |
|                     | Net: Mini Cargo, Third Row Sidewalls                                                                                                                                                  | S |
|                     | Paint: Monotone Base Coat/Clear Coat                                                                                                                                                  | S |
|                     | Power Outlets: Auxilliary, Instrument Panel and Rear Compartment                                                                                                                      | S |

**2000 CHEVROLET VENTURE – 1UM16**  
**Extended Wheel Base ~ Dual Sliding Doors**  
**MIDDLE EAST**

| <b>OPT<br/>CODE</b> | <b>STANDARD EQUIPMENT<br/>(CONTINUED)</b>                                                                                                                                                                                                                                                                                                           |          |
|---------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|
|                     | Reflectors: Safety, Front Doors                                                                                                                                                                                                                                                                                                                     | <b>S</b> |
|                     | Seats: Adjustable Track, Third Row                                                                                                                                                                                                                                                                                                                  | <b>S</b> |
|                     | Service: On Board Diagnostics II (OBDII), Includes:<br>Coolant (5 Years/100,000 miles)<br>Spark Plugs (100,000 Miles)<br>Transaxle (Fluid for Life)                                                                                                                                                                                                 | <b>S</b> |
|                     | Side Door: Right, Manual Sliding with Child Proof Safety Lock                                                                                                                                                                                                                                                                                       | <b>S</b> |
|                     | Spare Tire: Compact, T125/70D15 Tire and Steel Wheel                                                                                                                                                                                                                                                                                                | <b>S</b> |
|                     | Step Pad: Rear Fascia, Body Color                                                                                                                                                                                                                                                                                                                   | <b>S</b> |
|                     | Stoplamp: Center High Mounted (CHMSL)                                                                                                                                                                                                                                                                                                               | <b>S</b> |
|                     | Storage: Center Console (Non-Locking) and Glovebox (Locking)                                                                                                                                                                                                                                                                                        | <b>S</b> |
|                     | Sunvisor (Driver Covered Mirror and Map Holder, Passenger Uncovered Vanity Mirror and Map Holder)                                                                                                                                                                                                                                                   | <b>S</b> |
|                     | Trays: Molded in Seatbacks, Second and Third Rows                                                                                                                                                                                                                                                                                                   | <b>S</b> |
|                     | Windshield: Solar Control                                                                                                                                                                                                                                                                                                                           | <b>S</b> |
|                     | Windshield Wiper System: Front, Pulse                                                                                                                                                                                                                                                                                                               | <b>S</b> |
|                     | Wiper System: Rear Glass, Fixed Delay and Washer                                                                                                                                                                                                                                                                                                    | <b>S</b> |
| <b>AJ7</b>          | Restraint System: Front Seat, Passenger/Driver Front & Side Inflatable                                                                                                                                                                                                                                                                              | <b>S</b> |
| <b>AR9</b>          | Seats: Front Bucket with Recline and Inboard Armrests                                                                                                                                                                                                                                                                                               | <b>S</b> |
| <b>BA8</b>          | Stowage Compartment, Front Passenger Seat                                                                                                                                                                                                                                                                                                           | <b>S</b> |
| <b>BS1</b>          | Insulation, Acoustical Package                                                                                                                                                                                                                                                                                                                      | <b>S</b> |
| <b>C3L</b>          | GVW Rating: 5357 LB/ 2435 KG                                                                                                                                                                                                                                                                                                                        | <b>S</b> |
| <b>C60</b>          | HVAC System: Front Air Conditioning, Manual Controls, Positive Shut-Off Vents                                                                                                                                                                                                                                                                       | <b>S</b> |
| <b>C79</b>          | Lamp: Interior Roof Rail, Courtesy and Single Reading                                                                                                                                                                                                                                                                                               | <b>S</b> |
| <b>DR5</b>          | Mirrors: Outside, Rearview, LH/RH, Remote Control, Electric, Heated, Manual Folding, Black                                                                                                                                                                                                                                                          | <b>S</b> |
| <b>FE1</b>          | Suspension: Base, Independent Front, MacPherson Struts                                                                                                                                                                                                                                                                                              | <b>S</b> |
| <b>FR9</b>          | 3.29 Final Drive Ratio                                                                                                                                                                                                                                                                                                                              | <b>S</b> |
| <b>JM4</b>          | Brake System: Power Front Disc and Rear Drum, Antilock                                                                                                                                                                                                                                                                                              | <b>S</b> |
| <b>KNB</b>          | Air Cleaner: Dry                                                                                                                                                                                                                                                                                                                                    | <b>S</b> |
| <b>K68</b>          | Alternator – 105 AMP                                                                                                                                                                                                                                                                                                                                | <b>S</b> |
| <b>NV6</b>          | Steering: Power, Rack and Pinion                                                                                                                                                                                                                                                                                                                    | <b>S</b> |
| <b>N30</b>          | Steering Wheel: Deluxe                                                                                                                                                                                                                                                                                                                              | <b>S</b> |
| <b>N33</b>          | Tilt Steering Wheel                                                                                                                                                                                                                                                                                                                                 | <b>S</b> |
| <b>PG1</b>          | Wheels: 15"x6" Steel with Bolt-On Cover                                                                                                                                                                                                                                                                                                             | <b>S</b> |
| <b>TT5</b>          | Headlamps: Composite, Halogen                                                                                                                                                                                                                                                                                                                       | <b>S</b> |
| <b>UM7</b>          | Radio: AM-FM Stereo, Seek/Scan, Clock                                                                                                                                                                                                                                                                                                               | <b>S</b> |
| <b>U24</b>          | Speakers: Dual Front Door and Rear Lift Gate Extended Range                                                                                                                                                                                                                                                                                         | <b>S</b> |
| <b>U2E</b>          | Cluster: Instrumentation, Includes:<br>- Color Keyed Instrument Panel, Door-Ajar Lights (All Doors /Liftgate)<br>- Engine Oil Level Sensor, Fuel Gauge, Low Coolant Sensor Light, Oil Pressure Light<br>- Speedometer, Temperature Gauge, Tone Warning(Seat Belts/Headlamp/Key)<br>- Trip Odometer, Turn Signal Indicators with "ON" Reminder Chime | <b>S</b> |
| <b>U29</b>          | Interior Lamp, Instrument Panel, Courtesy                                                                                                                                                                                                                                                                                                           | <b>S</b> |
| <b>U76</b>          | Antenna: Integrated Windshield                                                                                                                                                                                                                                                                                                                      | <b>S</b> |
| <b>XPk</b>          | Tires: P215/70R15 All Season Blackwall                                                                                                                                                                                                                                                                                                              | <b>S</b> |

**THESE OPTIONS ARE FOR YOUR INFORMATION ONLY AND MUST NOT BE PLACED ON THE ORDER**

**2000 CHEVROLET VENTURE – 1UM16**  
**Extended Wheel Base ~ Dual Sliding Doors**  
**MIDDLE EAST**

| OPT<br>CODE | PACKAGED EQUIPMENT                                                                                                                                                                                                                                                                            |      |      |
|-------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|------|
|             | SELECT-UNIT                                                                                                                                                                                                                                                                                   | 1R6K | 2R6K |
|             | PREFERRED EQUIPMENT GROUP CODE                                                                                                                                                                                                                                                                | 1SA  | 1SB  |
| LA1         | Engine: 3.4 Litre MFi V6                                                                                                                                                                                                                                                                      | X    | X    |
| MX0         | Transmission: 4 Speed Automatic                                                                                                                                                                                                                                                               | X    | X    |
| AV5         | Seats: Front Bucket, High Back. <b>Requires "B" Trim</b>                                                                                                                                                                                                                                      | X    | -    |
| AR9         | Seats: Deluxe Front Bucket                                                                                                                                                                                                                                                                    | -    | X    |
| ABA         | Seat Configuration: 7 Passenger, 1st Row (AR9) 2 Front Buckets<br>2nd Row (AT5) 2 Passenger, 40/60 Split Bench,<br>3rd Row, (AM9) 3 Passenger, 50/50 Split Bench<br><b>Not Available with Y4T or ZP8</b>                                                                                      | X    | U    |
| AG1         | Power Seat Adjuster: 6-Way, Drivers Side.<br><b>Requires "C" Trim.</b>                                                                                                                                                                                                                        | -    | U    |
| A31         | Power Windows: Express Down, Driver side. Includes (A20) Power Rear<br>Quarter Vent Swing-Out. Included with Y4T/Y91/E58                                                                                                                                                                      | U    | -    |
| C34         | Air Conditioner: Front/Rear. Includes (KG7) 125 Amp Generator                                                                                                                                                                                                                                 | X    | X    |
| FE2         | Ride & Handling Suspension                                                                                                                                                                                                                                                                    | X    | X    |
| G67         | Automatic Level Control                                                                                                                                                                                                                                                                       | X    | X    |
| K34         | Cruise Control - Included with Y4T/Y91                                                                                                                                                                                                                                                        | U    | -    |
| UL0         | Radio: AM/FM Stereo, Seek/Scan, Cassette, Clock, ETR                                                                                                                                                                                                                                          | X    | X    |
| V41         | Accessory Kit                                                                                                                                                                                                                                                                                 | X    | X    |
| V54         | Roof Luggage Carrier                                                                                                                                                                                                                                                                          | -    | X    |
| Y91         | "LS" Trim Package: Includes (AP9) Cargo Net, (AU0) Remote Keyless Entry,<br>(A20) Power Swing-Out Rear Quarter Windows, (DH6) Inside RH/LH<br>Illuminated Sunshade Mirrors, (DK6) Interior Overhead Roof Console, (K34)<br>Cruise Control, (PH3) Aluminum Wheels.<br><b>Requires "C" Trim</b> | -    | U    |
| ZP7         | Seating Arrangement: 7 Passenger - <b>Not Available with ZP8</b>                                                                                                                                                                                                                              | X    | U    |
| Z5X         | Mirror Provisions: Arabic Language                                                                                                                                                                                                                                                            | X    | X    |

**X = INCLUDED ON PACKAGE-DO NOT DELETE**  
**-- = NOT AVAILABLE**

**U = UPGRADEABLE**

**2000 CHEVROLET VENTURE – 1UM16**  
**Extended Wheel Base ~ Dual Sliding Doors**  
**MIDDLE EAST**

| OPT<br>CODE | REQUIRED REGULATORY & PROCESSING<br>CONTENT                                                                                                                                                                                    |      |      |
|-------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|------|
|             | SELECT-A-UNIT CODE                                                                                                                                                                                                             | 1R6K | 2R6K |
|             | PREFERRED EQUIPMENT GROUP CODE                                                                                                                                                                                                 | 1SA  | 1SB  |
| R           | <b>EXP</b> Export Processing Option - Includes: (BAG) Protection Side/Front Door Sills and Steering Wheel, (PB4) Wheel Locks, Dealer Installed, (VG1) Underhood Protection, (VG4) Underbody Protection, (VG9) Paint Protection | X    | X    |
|             | <b>FE9</b> Federal Emissions Certification                                                                                                                                                                                     | X    | X    |
|             | <b>JL9</b> Brake System: Power Front and Rear Disc, Antilock                                                                                                                                                                   | X    | X    |
|             | <b>K45</b> Air Cleaner: Heavy Duty                                                                                                                                                                                             | X    | X    |
|             | <b>NM8</b> Leaded Fuel System: Includes Onboard Diagnostics                                                                                                                                                                    | X    | X    |
|             | <b>R6K</b> Processing Option: Middle East                                                                                                                                                                                      | X    | X    |
|             | <b>T62</b> Daytime Running Lights - Delete                                                                                                                                                                                     | X    | X    |
|             | <b>UD4</b> Overspeed Warning Device                                                                                                                                                                                            | X    | X    |
|             | <b>UL8</b> Radio Frequency: Saudi Arabia                                                                                                                                                                                       | X    | X    |
|             | <b>U19</b> Speedometer: Kilo                                                                                                                                                                                                   | X    | X    |
|             | <b>VC5</b> Shipping Label                                                                                                                                                                                                      | X    | X    |
|             | <b>VH7</b> Front Fascia: Custom                                                                                                                                                                                                | X    | X    |
|             | <b>VK3</b> License Plate Bracket: Front                                                                                                                                                                                        | X    | X    |
|             | <b>V08</b> Cooling System: Heavy Duty Radiator. Includes (KC4) Engine Oil Cooling                                                                                                                                              | X    | X    |
|             | <b>V76</b> Tow Hooks                                                                                                                                                                                                           | X    | X    |
|             | <b>V87</b> Certification Label: Gulf States                                                                                                                                                                                    | X    | X    |
|             | <b>XNA</b> Tires: P205/65R15 Touring BW, A Temperature Rated                                                                                                                                                                   | X    | X    |
| R           | <b>ZX9</b> Tire spare w/wheel - delete.                                                                                                                                                                                        | X    | X    |

**2000 CHEVROLET VENTURE – 1UM16**  
**Extended Wheel Base ~ Dual Sliding Doors**  
**MIDDLE EAST**

| OPT<br>CODE | OPTIONAL EQUIPMENT                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |          |          |
|-------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|----------|
|             | SELECT-A-UNIT CODE                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | 1R6K     | 2R6K     |
|             | PREFERRED EQUIPMENT GROUP CODE                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | 1SA      | 1SB      |
|             | <b>ABB</b> Seat Arrangement: 7 Passenger, Includes:<br>1st Row, 2 Passenger, (AR9) 2 Bucket Seats<br>2nd Row, 3 Passenger, (AL4) 3 Bucket Seats<br>3rd Row, 2 Passenger, (AL4) 2 Bucket Seats<br><b>Requires "C" Trim. Not Available with Y4T or ZP8</b>                                                                                                                                                                                                                                                                                                                                                  | -        | <b>A</b> |
|             | <b>ABD</b> Seating Arrangement, 7 Passenger: Includes<br>1st Row - 2 Bucket Seats, 2nd Row -<br>2 Captains Chairs, 3rd Row - 3 Passenger 50/50 Bench Seat.<br><b>Available with Y4T "LT" Package only</b>                                                                                                                                                                                                                                                                                                                                                                                                 | -        | <b>A</b> |
|             | <b>AN2</b> One Integral Child Seat. <b>Not Available</b> with Y4T                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | <b>A</b> | <b>A</b> |
|             | <b>AN5</b> Dual Integral Child Seats. <b>Not Available</b> with Y4T                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | -        | <b>A</b> |
| R           | <b>E58</b> Side Door: Right Side, Power Opening/Closing<br>Includes (AU0) Remote Keyless Entry.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | <b>A</b> | <b>A</b> |
|             | <b>N05</b> Fuel Cap: Locking                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | <b>A</b> | <b>A</b> |
| R           | <b>UK6</b> Rear Seat Audio Controls with Earphone Jacks. <b>Not Available</b> with Y4T                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | -        | <b>A</b> |
|             | <b>V54</b> Roof Luggage Carrier                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | <b>A</b> | --       |
| R           | <b>Y4T</b> "LT" Trim Package: <b>Includes</b> (AG9) 6 Way Power Seat Adjuster (Note: AG9<br><b>Requires</b> Leather Trim), Driver/Passenger, (AP9) Cargo Restraint, (AU0) Remote<br>Keyless Entry, (A20) Power Rear Quarter Vent Swing-out Window, (A31) Power<br>Windows, (DH6) Mirrors: Inside, Sunshade, LH/RH, Illuminated, (DK6) Interior Roof<br>Console, (FE3) Suspension, (K34) Cruise Control, (PH3) 15" Aluminum Wheels,<br>(V54) Roof Luggage Carrier.<br><b>Requires</b> (ABD) Seating Arrangement, (E58) Side Door: Right Side, Power<br>Opening/Closing, "C" Trim or Leather Trim "LT" Trim | -        | <b>A</b> |
|             | <b>ZP8</b> Seating Arrangement, 8 Passenger.<br><b>Requires</b> "C" Trim and Y91.<br><b>Not Available</b> with ABA/ABB/ABD/Y4T                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | -        | <b>A</b> |

**X = INCLUDED ON PACKAGE-DO NOT DELETE**  
**A = AVAILABLE**

**-- = NOT AVAILABLE**

# 2000 CHEVROLET VENTURE – 1UM16

## Extended Wheel Base ~ Dual Sliding Doors

### MIDDLE EAST

#### COLOR, TRIM AND SEAT AVAILABILITY

| MODEL | Seat Ordering Information |              |             | INTERIOR TRIM |         |
|-------|---------------------------|--------------|-------------|---------------|---------|
|       | Seat Type                 | Material     | Seat Option | Medium Gray   | Neutral |
| 1UM16 | Bucket                    | Cloth        | AV5         | 14B           | 52B     |
|       | Bucket                    | Custom Cloth | AR9         | 14C           | 52C     |
|       | Bucket                    | Cloth        | AR9         | 14D           | ---     |
|       | Bucket                    | Leather      | AR9         | 142           | 522     |

"B" Trim **Not Available** with Y4T/Y91/ZP8. Includes IPB

"C" Trim **Requires** Y91-"LS" or Y4T-"LT". Includes IPC

"2" Leather Trim **Requires** Y4T-"LT". Includes IP2

#### EXTERIOR/ INTERIOR COLOR COMPATIBILITY

|                      |                             | INTERIOR TRIM     |               |
|----------------------|-----------------------------|-------------------|---------------|
|                      |                             | Medium Gray<br>14 | Neutral<br>52 |
| Exterior Paint Color |                             |                   |               |
| 09U                  | Carmine Red                 | X                 | X             |
| 16U                  | Bright White                | X                 | X             |
| 17U                  | Silvermist Metallic         | X                 | X             |
| 28U                  | Black Sapphire Metallic     | X                 | X             |
| 30U                  | International Blue Metallic | X                 | X             |
| 31U                  | Fernmist Green Metallic     | X                 | X             |
| 35U                  | Dark Teal Metallic          | X                 | X             |
| 49U                  | Light Sandrift Metallic     | -                 | X             |
| 65U                  | Smokey Carmel Metallic      | X                 | X             |
| 72U                  | Redfire metallic            | X                 | X             |

DATE: February 14, 2000  
REVISION NO: 00-3

**GENERAL MOTORS OVERSEAS DISTRIBUTION  
CORPORATION**

**2000  
UPDATE  
CHEVROLET  
VENTURE  
TRUCK TECHNICAL PAGES**

---

Attached is revision 00-3 of the Light Duty Truck Technical Pages.

The information contained in the Technical Pages is confidential and should not be disclosed to unauthorized persons or used for non-business purposes.

## MODEL SELECTION SUMMARY

| MODEL NUMBER/<br>OPTION CODE | PASSENGER CAPACITY<br>(STD/OPT) | STANDARD ENGINE/<br>TRANS | OPTIONAL ENGINE/<br>TRANS | GVWR<br>KG<br>(LBS) | GAWR<br>KG<br>(LBS)<br>FRONT/<br>REAR | MAX GROSS TRAILER WT/<br>TONGUE LOAD<br>KG<br>(LBS) |
|------------------------------|---------------------------------|---------------------------|---------------------------|---------------------|---------------------------------------|-----------------------------------------------------|
| <b>VENTURE</b>               |                                 |                           |                           |                     |                                       |                                                     |
| 1UN16<br>REGULAR<br>4-DOOR   | 7/8                             | 3400 V6/A4                | —                         | 2430<br>(5357)      | 1236/1215<br>(2725/2679)              | 1588/159<br>(3500/350)                              |
| 1UM16<br>EXTENDED<br>4-DOOR  | 7/8                             | 3400 V6/A4                | —                         | 2430<br>(5357)      | 1250/1250<br>(2756/2756)              | 1588/159<br>(3500/350)                              |

## POWERTRAINS

| <b>ENGINE</b>                                               |                            |
|-------------------------------------------------------------|----------------------------|
|                                                             | <b>3400 V6</b>             |
| Order Code                                                  | LA1                        |
| SAE Net Kilowatts @ rpm<br>(Horsepower @ rpm)               | 138 @ 5200<br>(185 @ 5200) |
| SAE Net Torque N-m @ rpm<br>(lb-ft @ rpm)                   | 285 @ 4000<br>(210 @ 4000) |
| Fuel System                                                 | SFI                        |
| Standard Battery<br>Cold Cranking Amps<br>@ -17.8° C (0° F) | 600                        |
| Standard Alternator<br>Maximum Capacity Amps                | 105                        |

| <b>TRANSMISSION</b>   |                                       |
|-----------------------|---------------------------------------|
|                       | <b>AUTOMATIC 4-SPEED W/OD (4T65E)</b> |
| Order Code            | MXO                                   |
| Gear Ratios           |                                       |
| First                 | 2.92                                  |
| Second                | 1.57                                  |
| Third                 | 1.00                                  |
| Fourth                | 0.71                                  |
| Reverse               | 2.39                                  |
| Available Axle Ratios |                                       |
| Standard              | 3.29                                  |
| Optional              | —                                     |

| <b>TIRES</b>                                                                                                                                                                                |                             |                       |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|-----------------------|
| KEY: AS = ALL-SEASON SBR = STEEL-BELTED RADIAL PLY BW = BLACKWALL WW = WHITEWALL WL = WHITE LETTERED<br>HWY = HIGHWAY BL = BLACK LETTERED ON-OFF = ON-OFF ROAD WOL = WHITE OUTLINE LETTERED |                             |                       |
| P215/70R15                                                                                                                                                                                  | AS/SBR/BW                   | STANDARD ON 1UN16     |
| P215/70R15                                                                                                                                                                                  | AS/SBR/BW TOURING           | XPU-STANDARD ON 1UM16 |
| P215/70R15                                                                                                                                                                                  | AS/SBR/SELF-SEALING TOURING | XPU w/ P42            |

**BRAKES**

|                                    |                                            |
|------------------------------------|--------------------------------------------|
| Type                               | Power, Self-adjusting<br>4-Wheel Anti-Lock |
| Front<br>Rotor Size mm (in.)       | Disc<br>223 x 26.2 (10.9 x 1.27)           |
| Rear<br>Size mm (in.)              | Drum<br>241 x 45 (8.8 x 1.77)              |
| Booster Type                       | Vacuum                                     |
| Parking Brake<br>Type<br>Operation | Cable to Rear Wheels<br>Pedal              |

**STANDARD CHASSIS FEATURES**

|                            |                                                                              |                          |                                                      |
|----------------------------|------------------------------------------------------------------------------|--------------------------|------------------------------------------------------|
| <b>ENGINE BLOCK HEATER</b> |                                                                              | <b>SUSPENSION, FRONT</b> | Independent                                          |
| <b>EXHAUST SYSTEM</b>      |                                                                              | Axle Capacity            | (Reg.) 1236 kg (2725 lb)<br>(Ext.) 1250 kg (2756 lb) |
| Type                       | Stainless steel single exhaust                                               | Springs                  | Coil                                                 |
| <b>FRAME</b>               |                                                                              | Shock Absorbers          | 32mm (1.25") piston diameter                         |
| Type                       | Body rails, lateral construction, unitized                                   | Stabilizer Bar           | 34mm (1.34")                                         |
| <b>FUEL TANK</b>           |                                                                              | <b>SUSPENSION, REAR</b>  | Trailing twist axle                                  |
| Location                   | Left-hand side inboard body rail, middle                                     | Axle Capacity            | (Reg.) 1215 kg (2679 lb)<br>(Ext.) 1250 kg (2756 lb) |
| Capacity (approx.)         | 1UN16—76 litres (16.7 imperial gal.)<br>1UM16—95 litres (20.8 imperial gal.) | Springs                  | Coil                                                 |
| <b>GVWR</b>                |                                                                              | Shock Absorbers          | 30mm (1.18") piston diameter                         |
|                            | 2430 kg (5357 lb)                                                            | Stabilizer Bar           | 36mm (1.42")                                         |
| <b>STEERING</b>            |                                                                              | <b>WHEELS</b>            |                                                      |
| Type                       | Integral power, rack and pinion with variable assist                         | Type                     | Four Disc                                            |
|                            |                                                                              | Size                     | 381mm x 152mm (15" x 6")                             |

## DIMENSIONS

| MODEL                                           | REGULAR LENGTH                  | EXTENDED LENGTH                 |
|-------------------------------------------------|---------------------------------|---------------------------------|
| MODEL NUMBER                                    | 1UN16                           | 1UM16                           |
| EXTERIOR DIMENSIONS                             |                                 |                                 |
| <b>BODY</b>                                     |                                 |                                 |
| Wheelbase mm (in.)                              | 2845 (112.0)                    | 3047 (120.0)                    |
| Overall Length mm (in.)                         | 4747 (186.9)                    | 5103 (200.9)                    |
| Overall Height Nominal mm (in.)                 | 1712 (67.4)                     | 1730 (68.1)                     |
| Maximum Width mm (in.)                          | 1830 (72.0)                     | 1830 (72.0)                     |
| Outside Mirror Width mm (in.)                   | 2177 (85.7)                     | 2177 (85.7)                     |
| Bumper to Axle                                  |                                 |                                 |
| Front mm (in.)                                  | 937 (36.9)                      | 935 (36.8)                      |
| Rear mm (in.)                                   | 965 (38.0)                      | 1120 (44.1)                     |
| Ground to Top of Rear Load Floor mm (in.)       | 610 (24.0)                      | 635 (25.0)                      |
| Ground Clearance                                |                                 |                                 |
| Front mm (in.)                                  | 241 (8.3)                       | 216 (8.5)                       |
| Rear mm (in.)                                   | 338 (10.4)                      | 279 (11.0)                      |
| Side Load Door                                  |                                 |                                 |
| Opening Height mm (in.)                         | 1118 (44.0)                     | 1118 (44.0)                     |
| Opening Width mm (in.)                          | 746 (29.4)                      | 813 (32.0)                      |
| Rear Load Door                                  |                                 |                                 |
| Opening Height mm (in.)                         | 1034 (40.7)                     | 1034 (40.7)                     |
| Opening Width Above Beltline mm (in.)           | 1092 (43.0)                     | 1092 (43.0)                     |
| Opening Width @ Beltline mm (in.)               | 1305 (51.4)                     | 1283 (50.5)                     |
| Track Width Front/Rear mm (in.)                 | 1562/1608 (61.5/63.3)           | 1562/1608 (61.5/63.3)           |
| Turning Diameter Curb-to-Curb m (ft)            | 11.4 (37.4)                     | 12.1 (39.7)                     |
| INTERIOR DIMENSIONS                             |                                 |                                 |
| Headroom — Front/Middle/Rear mm (in.)           | 996/998/985 (39.9/39.3/38.8)    | 996/998/988 (39.9/39.3/38.9)    |
| Legroom — Front/Middle/Rear mm (in.)            | 1013/937/864 (39.9/36.9/34.0)   | 996/991/932 (39.9/39.0/36.7)    |
| Shoulder Room — Front/Middle/Rear mm (in.)      | 1519/1572/1527 (59.8/61.9/60.1) | 1519/1572/1514 (59.8/61.9/59.6) |
| Hip Room — Front/Middle/Rear mm (in.)           | 1407/1633/1227 (55.5/64.3/48.3) | 1410/1633/1227 (55.5/64.3/48.3) |
| Knee Clearance — Front/Middle/Rear mm (in.)     | —/53/41 (—/2.1/1.6)             | —/114/94 (—/4.5/3.7)            |
| Front Seat Walk-Through mm (in.)                | 211 (8.3)                       | 211 (8.3)                       |
| Cargo Volume Litres (cu ft)                     |                                 |                                 |
| w/Front Seat                                    | 3584 (126.6)                    | N/A                             |
| w/Front Seat and Left Side Sliding Door         | 3766 (133.0)                    | 4414 (155.9)                    |
| w/Front/Middle Seats (max)                      | 1212 (42.8)                     | 1549 (54.7)                     |
| w/Front/Middle/Rear Seats (max)                 | 461 (16.3)                      | 685 (24.2)                      |
| Load Floor Length mm (in.)                      |                                 |                                 |
| w/Front Seat                                    | 2111 (86.1)                     | 2540 (100.0)                    |
| w/Front/Middle Seats (max)                      | 1288 (50.7)                     | 1585 (62.4)                     |
| w/Front/Middle/Rear Seats (max)                 | 460 (18.1)                      | 683 (26.9)                      |
| Interior Width — Between Wheelhousings mm (in.) | 1227 (48.3)                     | 1227 (48.3)                     |
| Interior Height mm (in.)                        | 1163 (45.8)                     | 1145 (45.1)                     |